



KONICA MINOLTA

AccurioPress C5080  
AccurioPress C5070

THE ACCURIOPRESS C5080 SERIES

# REACH YOUR AMBITION



Giving Shape to Ideas

# SMART FACTORY PRINTING

Imagine having just a single press that is good for everything: 2-sided banner printing, professional inline finishing, highest productivity, real-time automated quality adjustments, excellent print quality, and so much more. That's the AccurioPress C5800 series from Konica Minolta for you: our agile production colour press with features that enables you to expand your business into new markets and develop new revenue streams.

## Enhanced Finishing

The optional in-line TU-510e 4-edge trimming unit cuts, creases and perforates to produce stunning full-bleed trimmed book jackets, imposed cards, business cards, coupons and more. Removing the need for off-line finishing means fewer operator touchpoints for faster and more efficient print runs.

## A Single Engine Does It All

The AccurioPress C5800 series is a fully configured press to expand your business as you wish. You can print flat sheets, duplex long sheets of up to 900 mm, or directly finish prints inline with our extensive choice of finishing options to meet your clients' every need in on integrated production process.

## Flawless Quality

Experience unparalleled print quality with our HDe toner, delivering stunning results on media up to 360 g/m<sup>2</sup>. With ultra-sharp 3,600 x 2,400 dpi resolution and intelligent Colour Control checking 13 colours on the fly, you'll achieve exceptional consistency even during the fastest, longest print runs.

## Streamline Your Workflow with Smart Assistance

Our production systems are engineered to maximize press uptime, enabling you to produce more in less time. With advanced assistance features designed for speed and quality, you can deliver high-value print products faster than ever. Tools like the Intelligent Quality Optimizer Unit and Intelligent Media Sensor ensure consistent, high-quality results for every job, with minimal user intervention – empowering you to work smarter and achieve exceptional outcomes effortlessly.



# INNOVATIVE PRINT

## RETHINK TECHNOLOGY



### INTELLIGENT QUALITY OPTIMIZER **IQ**

#### Intelligent Quality Optimizer


The IQ-601 Intelligent Quality Optimiser redefines printing with exceptional color accuracy, real-time adjustments, and automated workflows. Equipped with an inline spectrophotometer, it ensures precise color tones, improved front-to-back registration, and effortless operation – delivering superior results at the press of a button. Paired with the AI-101 Auto Inspection Unit, it enables advanced defect detection, variable data validation, and real-time quality assurance without requiring specialized training. Together, IQ-601 and AI-101 streamline processes, enhance quality stability, and maximize productivity, setting a new standard for high-performance printing.



#### S.E.A.D. X Image Processing

Konica Minolta's own advanced color processing technology of the fifth generation is called S.E.A.D. X which stands for "Screen-Enhancing Active Digital Process", and combines an array of technical innovations to guarantee truly exceptional color reproduction at top speed.






### Vacuum paper feeding

It is essential for high-volume printers to feed each and every sheet smoothly and precisely through the digital press. To ensure this, Konica Minolta offers professional and intelligent paper feeding for all formats up to 900 mm length that builds upon proven concepts, including a combination of air separation of sheets and suction /vacuum feeding. This ensures smooth paper processing throughout the printing system. For efficient printing on offset pre-printed and coated stock as well as under high humidity conditions, an optional heating unit can be added to enhance this precise technology further.

### Intelligent Media Sensor

The Intelligent Media Sensor IM-104 is a game-changer in automated print management! With six cutting-edge sensors, the IM-104 identifies paper type, weight, and size instantly, ensuring optimal print settings every time—no operator input needed. Say goodbye to manual adjustments and let the IM-104 handle it all. The IM-104 also features a purge tray, allowing production to keep running in case of paper jams or double feeds. For uninterrupted, unattended printing, this feature is invaluable. Plus, it detects mismatched paper settings during print production and stops the production to avoid any further complications down the line.

The Intelligent Media Sensor IM-105 adds precision and perfection in every print. The IM-105 measures the paper size of the substrates and detects even the slightest variations in paper cutting size and, together with the Intelligent Quality Optimizer IQ-601, automatically adjusts image positioning to eliminate front/back alignment errors. Enjoy flawless results with less manual oversight, ensuring professional quality and consistency with every print run.







# STATE-OF-THE-ART- PRINT-SERVER

## RETHINK PRODUCTION PRINTING

### ACCURIOIMAGE IC-613

The Konica Minolta IC-613 print controller comes with powerful workflow benefits – including 2,400 x 3,600 equiv. dpi printing at full rated engine speed, highspeed RIP processing, enhanced accuracy in color reproduction, various color management functions as well as full compatibility with print engine on-board job control and editing functions.

### THE IC-421 INTERNAL FIERY IMAGE CONTROLLER

As the embedded Fiery® controller alternative, the IC-421 offers a combination of affordability, versatile colour management and PCL support plus a wide range of security features. It helps improve the ease of use of AccurioPress systems, and simplifies workflows so that our digital colour presses deliver truly professional print results, making any configuration an ideal business solution for your company's printing facilities.

### THE IC-321 FIERY IMAGE CONTROLLER

Providing advanced job management and workflow automation, the Fiery® IC-321 reduces labour costs, cuts turnaround times, and minimizes errors as well as waste. The instant visual preview and advanced make ready capabilities streamline job layouts. Support of industry-leading variable data printing (VDP) formats facilitates the profitable production of personalized short-run jobs.





# STREAMLINE YOUR PRODUCTION

## RETHINK YOUR WORKFLOW

Evolving from our expertise in precision technologies and more than 80 years of experience in the printing and imaging industries, AccurioPro reflects our commitment to developing market-shaping technology with functionality that enables your business to grow. AccurioPro, Konica Minolta's suite of digital solutions for professional printing, is one of the industry's most versatile and powerful tools to optimise print production operations and workflows.


For all printing companies looking to integrate their printing as well as businesses that use digital printing to produce their own in-house publications and promotional materials, AccurioPro boosts speed and

efficiency, expands capabilities and services, and reduces the need for operational manpower – all of which will help improve your profitability.

The comprehensive suite of features that AccurioPro offers includes centralised management, software for automated workflow processing, color management, seamless integration of different printing technologies and full connectivity of all Konica Minolta printing systems used from input to output.

# AccurioPro POSSIBILITIES

## RETHINK YOUR WORKFLOW



# YOUR ADVANTAGES WITH THE AccurioPress C5080/C5070

## RETHINK PRODUCTION PRINTING

### DURABLE PERFORMANCE

#### AccurioPress C5080

- Up to 81 A4 colour pages per minute
- Up to 45 A3 colour pages per minute
- Peak Volume of up to 864,000 A4 images per month
- Lifetime up to 6 million A4 images or 5 years

#### AccurioPress C5070

- Up to 71 A4 colour pages per minute
- Up to 39 A3 colour pages per minute
- Peak Volume of up to 758,000 A4 images per month
- Lifetime up to 6 million A4 images or 5 years

### READY-MADE PRINT PRODUCTS\*

- 50-sheet booklet making with front trimming and optional creasing, slitting and spine corner forming
- 100-sheet stapling with cutting mechanism
- Automated inline business card and postcard cutting
- Full bleed banners, A3 and A4 posters

### GEARED-UP FINISHING\*


- Multi (GBC) punching and 2- & 4-hole punching
- 6 different types of folding
- 3<sup>rd</sup>-party Products
- Large-capacity stacking
- 2 Perforations in feed direction, 5 Perforations in Cross feed direction
- Up to 5 Creases downwards or upwards

### SIMPLY EFFICIENT

- Automated engine linearisation
- Automated duplex registration
- Automated profiling
- Real-time adjustments
- Purge function

### PERFECT IMAGE QUALITY

- S.E.A.D. V technology and 3,600 x 2,400 dpi x 8 bit resolution
- Simitri HDe toner technology
- Image density control technology



## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Accurate front to back registration
- Fusing-rolling mechanism

## HIGH-END PRINT CONTROL\*

- Flexible choice of controller technology: Fiery® or proprietary Konica Minolta AccurioImage Controller
- Integration into hybrid workflows

## EASE OF USE

- Simple paper catalogue settings
- Operator Replaceable Unit Management
- Auto Inspection Technology

## SENSOR MEASURING\*

- Detects and prevents multi-feed issues for greater production reliability
- Identifies media size before printing to reduce errors
- Includes a purge tray to support smooth, uninterrupted operation
- Enhances overall efficiency through precise, automated media handling

## SOPHISTICATED MEDIA HANDLING\*

- Automatic media recognition
- Air suction feeding technology
- Up to 11 paper trays
- Long sheet printing of up to 1300 mm (simplex), 900 mm (duplex)

## INTELLIGENT QUALITY OPTIMISER\*

- Ensures consistent, superior output through high-performing print profiles
- Uses AIT paper path and automatic sheet size detection for dependable accuracy
- Enables proofless inspection to identify deviations in real time
- Supports flawless, efficient production with minimal operator intervention

## COMPREHENSIVE MEDIA PROCESSING

- Up to 360 g/m<sup>2</sup> paper weight in simplex and duplex
- Optional media sensor estimates paper weight and type
- Envelope print function as standard
- Support for embossed paper
- Optional inter-cooler curl eliminator



# FINISHING & FUNCTIONS

|                                                       |                                                                                     |  Letter fold |  2/4 hole Punching |  Two-point stapling |  Corner stapling |  Stacking |  Booklet |  Trimming |  |
|-------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--|
| Open stacker<br><b>OT-512</b>                         |    |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |           |                                                                                             |                                                                                              |  |
| Staple finisher<br><b>FS-532m</b>                     |    |                                                                                               |                    |                      |                  |           |          |                                                                                              |  |
| Booklet making unit<br><b>SD-513</b>                  |    |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |           |          |           |  |
| Stacking unit<br><b>LS-507</b>                        |    |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |           |                                                                                             |                                                                                              |  |
| Folding and punching unit<br><b>FD-503</b>            |    |                                                                                               |                    |                                                                                                       |                                                                                                     |           |                                                                                             |                                                                                              |  |
| Booklet making unit<br><b>SD-506</b>                  |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |         |        |         |  |
| Trimming unit<br><b>TU-510e</b>                       |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |                                                                                              |                                                                                             |         |  |
| Booklet making unit<br><b>Plockmatic SD-450e/435e</b> |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |                                                                                              |        |         |  |
| Multi punching unit<br><b>GBC Punch G3</b>            |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |                                                                                              |                                                                                             |                                                                                              |  |
| Ring binding unit<br><b>GBC Wire G1</b>               |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |                                                                                              |                                                                                             |                                                                                              |  |
| Cold Lamination unit<br><b>GBC Laminator CL-401</b>   |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |                                                                                              |                                                                                             |                                                                                              |  |
| Multi purpose stacker<br><b>Plockmatic MPS-XL</b>     |  |                                                                                               |                                                                                                     |                                                                                                       |                                                                                                     |         |                                                                                             |                                                                                              |  |

|  Creasing |  Perforation |  Slitting |  Square-folding |  Multi Letter fold-In |  Post Insertion |  Wire-binding |  Multi-punching |  Lamination | ENTRY |
|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------|
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                 |                                                                                                |                                                                                                   |                                                                                                |       |
|           |                                                                                               |           |                 |                       |                                                                                                  |                                                                                                |                                                                                                   |                                                                                                |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                 |               |                                                                                                   |                                                                                                |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |                                                                                                   |                                                                                                |       |
|         |            |         |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |                                                                                                   |                                                                                                |       |
|         |                                                                                               |         |               |                                                                                                        |               |                                                                                                |                                                                                                   |                                                                                                |       |
|         |            |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |               |                                                                                                |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |             |                                                                                                   |                                                                                                |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |                                                                                                   |           |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |                                                                                                   |                                                                                                |       |
|                                                                                           |                                                                                               |                                                                                            |                                                                                                  |                                                                                                        |                                                                                                  |                                                                                                |                                                                                                   |                                                                                                |       |





# 10 GOOD REASONS FOR AccurioPress C5080 SERIES



## 1. SIMPLY EFFICIENT

with Media Detection Sensor, Intelligent Quality Care and many unique inline finishing options.



## 2. PERFECT IMAGE QUALITY

with Konica Minolta's very own Imaging Technology and Toner development.



## 3. SEAMLESS INTEGRATION

into Konica Minolta's application portfolio.



## 4. VERSATILE CONFIGURATIONS

over 700 possibilities to configure your own press.



## 5. ENHANCE YOUR RANGE OF PRINT OFFERINGS

and fulfill today's demands for versatile and creative print products.



## 6. OUTSTANDING PAPER COMPATIBILITY

Media up to 360 g/m<sup>2</sup>. Excellent versatility with class leading banner printing, envelop printing and texture printing capabilities.



## 7. SHORT TURNAROUNDS

with automated quality control and inspection on the fly.



## 8. LOW LEARNING CURVES

Precise colour matching, even for novice operators, avoids or at least minimises learning curves



## 9. BENEFIT FROM GREAT BUILT-IN TECHNOLOGIES

e.g. the latest screening and registration technologies.



## 10. HIGH OUTPUT EVEN WITHOUT SKILLS

by improved technologies.





# TAKE LEADERSHIP AND RESPONSIBILITY

## RETHINK TOMORROW'S BUSINESS

### MADE FOR YOUR BUSINESS

#### Commercial printers

Growing your business and getting the maximum out of your investment is our production printing portfolio promises. High speed, high productivity and high uptime help you achieve the shortest turnaround times. Great media flexibility – with stocks of up to 360 g/m<sup>2</sup> – further enhance the offerings of your print shop. Quality issues are also a thing of the past, as these presses offer a wide range of tools that control and adjust themselves.

#### CRDs

Our production printing portfolio supports a high degree of automation and also ensure high-level quality. Professional inline finishing produces ready-made print products at the click of a finger. While versatile media flexibility and high productivity make our cutting-edge technologies solid and lucrative investment for the future.

### SUSTAINABILITY MEASURES FOR OUR PRODUCTION PRINTERS

Konica Minolta aims to reduce CO<sub>2</sub> emissions throughout the product lifecycle to net zero by 2050. Further, we aim to make our products from more than 90% circulated resources (recycled materials and biomaterials) by 2050. Our activities also include our customers, who we want to support in reducing their environmental impact as much as possible and achieving their sustainability goals.

An advantage of the digital printing process is the ability to print quickly and flexibly on demand, i.e. to produce only the print quantities that are actually required. Konica Minolta considers its environmental impact at every stage of the product life cycle and takes measures to reduce it.

This begins with manufacturing: all Konica Minolta factories are working under a certified ISO 14001 Environmental Management System, for example, and all production printing devices of our current fleet sold in Europe are produced in factories using 100 % renewable energies. Our achievements have received the Japan Federation of Printing Industries Green Printing certification.

In terms of product design, we are taking measures to reduce the use of primary resources. For example, we have developed lighter systems that weigh up to 25% less than

previous models. We are also focusing on the increased use of recycled materials: our production printers incorporate up to 36% recycled plastic, while toner bottles are made with up to 60% recycled plastics.

We have also implemented measures to reduce energy consumption during product use. Our polymerised toners can be fixed at lower temperatures, e.g. the Simitri® V toner has a fixing temperature that is 15 degrees Celsius lower.

As far as the disposal phase is concerned, our toners ensure a very high level of deinkability, which has also been certified by INGEDE. This means that the printed paper can be easily recycled, saving energy, raw materials and reducing water pollution. We also offer a high-quality returns and recycling service with the Clean Planet Program. We collect and safely dispose of used toner cartridges and bottles, photoconductor drums, and other consumables and recycle them. As a result, up to 87.3% of waste is turned into secondary raw materials. This helps reduce waste, increase efficiency, and preserve the earth's natural resources.

With our digital printing systems, Konica Minolta can therefore help our customers to move away from large-scale analogue printing and use less resources – such as inks, substrates and electricity, and also reduce waste and CO<sub>2</sub> emissions.

# CONTROLLER AND OPTIONS

## RETHINK THE NEEDS

### FIERY IMAGE CONTROLLER IC-321

|                           |                                                                                                                                                                             |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Architecture              | External                                                                                                                                                                    |
| OS                        | Windows                                                                                                                                                                     |
| CPU                       | Intel® i3-12100                                                                                                                                                             |
| RAM std                   | 8 GB                                                                                                                                                                        |
| HDD                       | SSD Boot drive + 1TB                                                                                                                                                        |
| Page-description language | CPSI 3020; APPE 6.0; Adobe® PostScript® Levels 1, 2, 3; Adobe PDF, PDF/X-1a, 3, and 4; Optimised PostScript® and PDF; Enhanced PCL6/PCL5; EPS, TIFF, JPEG (via Hot Folders) |

### FIERY IMAGE CONTROLLER IC-421

|                           |                                                                                                                                                                             |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Architecture              | Internal                                                                                                                                                                    |
| OS                        | Linux                                                                                                                                                                       |
| CPU                       | Intel® G7400E                                                                                                                                                               |
| RAM std                   | 8 GB                                                                                                                                                                        |
| HDD                       | 500 GB SSD                                                                                                                                                                  |
| Page-description language | CPSI 3020; APPE 6.0; Adobe® PostScript® Levels 1, 2, 3; Adobe PDF, PDF/X-1a, 3, and 4; Optimised PostScript® and PDF; Enhanced PCL6/PCL5; EPS, TIFF, JPEG (via Hot Folders) |

### ACCURIOIMAGE CONTROLLER IC-613

|                           |                                                                                                                                                                                                                                                                                  |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Architecture              | Internal                                                                                                                                                                                                                                                                         |
| OS                        | Linux                                                                                                                                                                                                                                                                            |
| CPU                       | Intel® i5-10500                                                                                                                                                                                                                                                                  |
| RAM std                   | 2 TB                                                                                                                                                                                                                                                                             |
| HDD                       | 1 TB                                                                                                                                                                                                                                                                             |
| Page-description language | Adobe® PostScript®3 (CPSI3022); PDF direct print (PDF Ver. 2.0); APPE (Ver. 6.2) (The UK-225 is required.); PDF1.3 to 2.0; PDF/X-1a, PDF/X-3, PDF/X-4, PDF/VT-3; TIFF direct print (TIFF Ver. 6 compliance); PPML (Ver. 2.2); PCL 5C compatible; PCL XL (PCL6 Ver. 3) compatible |

### OPTIONS

|                                       |                      |
|---------------------------------------|----------------------|
| AccurioImage Controller               | IC-613               |
| EFI external Controller               | IC-321               |
| EFI internal Controller               | IC-421               |
| Paper Feeding Unit                    | PF-712               |
| Paper Feeding Unit                    | PF-812               |
| Dehumidifier Heater                   | HT-506               |
| Multi Bypass Tray                     | MB-511               |
| Dehumidifier Heater                   | LU-208               |
| Large Capacity Feeding Unit           | LU-208XL             |
| Dehumidifier Heater                   | HT-518               |
| Humidifier                            | MK-746               |
| Multi bypass feeding                  | MB-509               |
| Auto Inspection Kit                   | RU-518m              |
| Humidifier                            | HM-103               |
| Intelligent Quality Optimizer         | IQ-601               |
| Auto Inspection Kit                   | AI-101               |
| Intelligent Media Sensor              | IM-101               |
| Intelligent Media Sensor              | IM-104               |
| Intelligent Media Sensor (paper size) | IM-105               |
| Envelop Fusing Unit                   | EF-111               |
| Output Tray Unit                      | OT-512               |
| Long Sheet Kit (Input)                | MK-760               |
| Long Sheet Kit (Output)               | MK-761               |
| 3rd party Interface                   | MK-737               |
| Relay Unit                            | RU-510               |
| Stapling Unit                         | FS-532m              |
| Saddle Stitcher Kit                   | SD-510               |
| Punch Kit                             | PK-525               |
| Mount Kit                             | MK-732               |
| Post Insert Kit                       | PI-502               |
| Press and Trim Kit                    | PT-220               |
| Corner Forming Kit                    | SF-204               |
| Folding and Punching Unit             | FD-503               |
| Booklet Making Unit                   | SD-506               |
| Booklet Making Unit                   | SD-513               |
| Folding Kit                           | FD-504               |
| Trimmer Kit                           | TU-503               |
| Creaser Kit                           | CR-101               |
| Stacking Unit                         | LS-507               |
| Stacking Unit                         | LC-502               |
| Trimmer Unit                          | TU-510e              |
| Creaser kit (downwards)               | CR-102               |
| Creaser kit (Upwards)                 | CR-103               |
| Trimmer Kit                           | TU-504               |
| Banner Kit                            | MK-764               |
| Business Card Kit                     | JS-507               |
| Perforation Kit Horizontal            | PE-101               |
| Perforation Kit Vertical              | PE-102               |
| Scrap Ejection Kit                    | MK-765               |
| GBC Punch Unit                        | GBC Punch G3         |
| GBC Binding Unit                      | GBC Binder G1        |
| GBC Lamination Unit                   | GBC Laminator CL-401 |
| Booklet Making Unit                   | SD-435e/450e         |
| Banner Stacking Unit                  | Plockmatic MPS-XL    |





KONICA MINOLTA

# TECHNICAL SPECIFICATIONS

## RETHINK PRODUCTION PRINTING

### SYSTEM SPECIFICATIONS

|                                      |                                                                                                                           |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| Resolution                           | 3,600 x 2,400 dpi x 8 bit                                                                                                 |
| Paper weight                         | 62 – 360 g/m <sup>2</sup>                                                                                                 |
| Duplex Unit                          | non stack type: 62 – 300 g/m <sup>2</sup>                                                                                 |
| Paper sizes                          | 330.2 x 487.7 mm<br>330.2 x 900 mm (max. duplex)<br>330.2 x 1300 mm (max. simplex)                                        |
| Paper input                          | Max.: 15,390 sheets                                                                                                       |
| Recommended environmental conditions | 21 – 26° C temperature; 40 – 60 % relative humidity<br>(Deviations may affect the specifications)                         |
| Non printable area                   | Leading/Trailing edge: ≤4 mm<br>Right/Left edge: ≤3 mm<br>Trailing edge: ≤6 mm for thick paper (g/m <sup>2</sup> or more) |
| Image registration                   | +/- 0,6 mm                                                                                                                |
| Dimension (WxDxH)                    | 800 x 903 x 1076 mm                                                                                                       |
| Unit weight                          | 312 kg                                                                                                                    |

### PRODUCTIVITY

#### AccurioPress C5080

|                        |           |
|------------------------|-----------|
| A4 – max. per minute   | 81 ppm    |
| A3 – max. per minute   | 45 ppm    |
| SRA3 – max. per minute | 36 ppm    |
| A4 – max. per hour     | 4,416 pph |

#### AccurioPress C5070

|                        |           |
|------------------------|-----------|
| A4 – max. per minute   | 71 ppm    |
| A3 – max. per minute   | 39 ppm    |
| SRA3 – max. per minute | 38 ppm    |
| A4 – max. per hour     | 3,846 pph |

- All specifications refer to A4-size paper of 80 g/m<sup>2</sup> quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- Product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.
- Our showrooms can be used to test print speed and performance with specific media formats and materials.

More information about  
the AccurioPress C5080



Take a Tour – Explore our  
Virtual Showroom

